



Mighty Mipel Valves



Bronze screwed needle valve

Fig 003

Complete with internal bonnet, back seat for repacking under pressure, bronze seat, needle and spindle.

Suitable for 150PSI (1000kPa) steam or 300PSI (2000kPa) water, oil or gas.

Sizes ¼" to 2" (8mm to 50mm)




Bronze screwed globe valve

Fig 005

Complete with internal bonnet, back seat for repacking under pressure, replaceable stainless steel seat and clack, and bronze spindle.

Suitable for 150PSI (1000kPa) steam or 300PSI (2100kPa) water, oil or gas.

Sizes ¼" to 3" (8mm to 80mm).



Bronze screwed globe valve

Fig 012

Complete with union bonnet, back seat for repacking under pressure, replaceable stainless steel seat and clack, and bronze spindle.

Suitable for 300PSI (2200kPa) steam or 600PSI (4200kPa) water, oil or gas.

Sizes ¼" to 2" (8mm to 50mm)



Bronze flanged globe valve

Fig 015

Complete with internal screwed bonnet, stainless steel seat and clack, and bronze spindle. Flanged table 16, undrilled.

Suitable for 150PSI (1000kPa) steam or 225PSI (1550kPa) water, oil or gas.

Sizes ½" to 4" (15mm to 100mm)



Bronze screwed angle globe valve

Fig 027

Complete with union bonnet, back seat for repacking under pressure, stainless steel seat and clack, and bronze spindle.

Suitable for 200PSI (1400kPa) steam or 400PSI (2800kPa) water, oil or gas.

Sizes ¼" to 2" (8mm to 50mm).



Mighty Mipel Valves




Bronze relief valve

Fig 037 / 038

Complete with carbon steel spring, bronze seat and Teflon disc (fig 038) or metal disc (fig 037) on bronze clack.

Suitable for 150PSI (1000kPa) steam, water, oil or gas.

Sizes ½" to 3" (15mm to 80mm).




Bronze screwed mushroom check valve

Fig 041

Complete with Teflon clack and bronze seat.

Suitable for 150PSI (1000kPa) steam or 300PSI (2000kPa) water, oil or gas.

Sizes ¼" to 4" (8mm to 100mm).




Bronze screwed mushroom check valve

Fig 046

Complete with stainless steel seat and clack.

Suitable for 200PSI (1400kPa) steam or 400PSI (2800kPa) water, oil or gas.

Sizes ¼" to 2" (8mm to 50mm).



Bronze screwed flap / swing check valve

Fig 049

Complete with bronze flap and bronze seat.

Suitable for 125PSI (862kPa) steam or 200PSI (1400kPa) water, oil or gas.

Sizes ½" to 4" (15mm to 100mm).



Bronze flanged gate valve

Fig 065

Complete with bronze internal seat and wedge.

Suitable for 125PSI (862kPa) steam or 200PSI (1400kPa) water oil or gas.

Sizes ½" to 4" (15mm to 100mm).



Mighty Mipel Valves



Bronze handy lever gate valve

Fig 067

Complete with quick acting open and close action, bronze seat and wedge.
Suitable for 125PSI (862kPa) steam or 200PSI (1400kPa) water, oil or gas.
Sizes ½" to 4" (15mm to 100mm)



Bronze gauge glass column

Fig 081

Complete with glass sealing rubbers and protection rods.
Suitable for 150PSI (1000kPa) steam, water or non-corrosive fluids.
Sizes ½" to ¾" (15mm to 20mm).



Bronze y-type strainer

Fig 085

Complete with stainless screen.
Suitable for 150PSI (1000kPa) steam or 300PSI (2000kPa) water, oil or gas.
Sizes ¼" to 2" (8mm to 50mm).



Bronze syrup valve

Fig 086

Complete with adjustable tension on slide to prevent dripping and lockable lever.
Suitable for thick flowing liquids, e.g. syrup, paint, honey.
Sizes : ¾ " and 2" (20mm and 50mm)




Bronze single window in-line sight glass

Fig 088

Complete with bronze internal seat and wedge.
Suitable for 125PSI (862kPa) steam or 200PSI (1400kPa) water oil or gas.
Sizes ½" to 4" (15mm to 100mm).



Mighty Mipel Valves



Bronze screwed gate valve

Fig 601

Complete with union bonnet, bronze seat and wedge.
Suitable for 125PSI (862kPa) steam or 200PSI (1400kPa) water, oil or gas.
Sizes ¼" to 4" (15mm to 100mm).



Bronze pedal valve / quick opening globe valve

Fig 614

Complete with Teflon clack, and bronze seat and spindle.
Suitable for 125PSI (860kPa) steam or 150PSI (1000kPa) water, oil or gas.
Sizes ½" to 1" (15mm to 25mm).

Fig

Complete with
Suitable for
Sizes

Fig

Complete with
Suitable for
Sizes :

Fig

Complete with
Suitable for
Sizes